



HAL
open science

Optimal Transport of Hallucinatory Colors

Lemona Xinxuan Zhang, Tonglin Yan, Ken Takeda, Matteo Paganin

► **To cite this version:**

Lemona Xinxuan Zhang, Tonglin Yan, Ken Takeda, Matteo Paganin. Optimal Transport of Hallucinatory Colors. Post-ASSC Satellite, Jul 2024, Kyoto, Japan. hal-04637646

HAL Id: hal-04637646

<https://universite-paris-saclay.hal.science/hal-04637646>

Submitted on 7 Jul 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

1. Introduction

Background


When stimulated with intense flickering white light under a ganzfeld setting, people often report seeing hallucinatory colors, geometric forms and patterns. Previous studies have characterized common form hallucinations, including ones consistent with the psychedelic-induced Kliver form constants¹, and proposed models for their occurrence^{2,3,4,5}. However, there has been no recent systematic and detailed investigation of the mechanism or phenomenology of the colors perceived during flicker light stimulation. This project is based on a behavioral study which looked at the colors people saw when viewing an intense flicker at different frequencies, across two sessions. Given previous evidence for the role of frequency information in the perception of subjective colours^{6,7,8}, we aim to better characterise the relationship between flicker frequency and flicker-induced colours and to establish a proof of concept for future studies on the spectral code of subjective colors.

Research questions


- What is the relationship between frequency and colors? Is there any frequency-color correspondence?
- If there is a correspondence, is it consistent within the same individual?
- Is it consistent across individuals?

Experimental paradigm

- Session 1: explore frequencies, match colors
- Session 2: fixed frequencies from session 1, forced color matches



2. Raw dataset visualization



4. Conclusion

- The correspondence between flicker frequency and hallucinatory colors is a many-to-many mapping
- Specific flicker frequencies elicited consistent colors within some individuals, confirmed by optimal transport results.
- There seems to be no consistent frequency-color correspondence across individuals, as shown by the GWOT results.

Acknowledgements

This research was supported by the Japan Society for the Promotion of Science, Grant-in-Aid for Transformative Research Areas A (23H04829). Thanks to the Sussex Vision Lab for the original dataset.


References

1. Alford, C., Pitt, P., Keenan, K., & Mollmann, J. (2011). Flicker-light induced visual phenomena: Frequency dependent and specificity of whole percepts and percept features. *Consciousness and Cognition*, 20(4), 1344-1362.
2. Eisenstein, G. B., & Cohen, J. D. (1978). A mathematical theory of visual hallucination patterns. *Biological Cybernetics*, 11(3), 147-150.
3. Chaitin, G. J., & Peres, M. E. (2021). Spectral codes in human primary visual cortex. *PLoS Computational Biology*, 17(9), e1008158.
4. Rudi, M., Sussangkarn, M., Eisenstein, G. B. (2011). A Model for the Origin and Properties of Flicker-Induced Geometric Phenomena. *PLoS Computational Biology*, 7(9), e1002158.
5. Jansky, I. A., Schmidt, M. E., Barlow, M. T., Rosenzweig, J., Kuffner, E., Swadlow, H. J., Schmidt, T. T. (2023). Flicker light stimulation induces functional hyperconnectivity with LGN and higher-order thalamic nuclei. *Insight Neurosciences*.
6. Berler, C., Elliott, M. A. (2006). Flicker-induced color and form: Interdependencies and relation to stimulation frequency and phase. *Consciousness and Cognition*, 15(1), 175-196.
7. Bertram, C., Elliott, M. (2001). Flicker's Colors Are Induced By Flickering Monochromatic Light.
8. Scheidt, R., Vachalski, R. (2013). The Flickering Wheel Illusion: When Flickering Makes a Static Wheel Flicker. *Journal of Neuroscience*, 33(31), 13426-13504.
9. Guoj, K., Anil, Z. J., Kim T., Natsugami, T. and Masafumi O. (2024). Is any "red" your "red"? Unsupervised alignment of qualia structure via optimal transport.


3. Methodology and results

I. Optimal transport

Most efficient way of mass transport between two sets of data points within the same space (color matches of two sessions for the same participant)




Results




- If the matches across two sessions are consistent, colored points should fall into the white rectangles, and matching rates between session 1 and session 2 frequency labels should be higher than chance level.
- For most participants, the matching rate is higher than chance level.

II. Gromov-Wasserstein optimal transport⁹ (GWOT)

Most efficient way of mass transport between two sets of data points in different spaces (color matches within the same session between different participants)



Results



- The frequency-color correspondence was generally not consistent between participant pairs (participant 1 & 2 in the graph).
- The matching rate between most pairs of participants was not significantly above chance.